



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/593,171	07/21/2008	Walter Sarstedt	23719	8813

535 7590 06/07/2010
KF ROSS PC
5683 RIVERDALE AVENUE
SUITE 203 BOX 900
BRONX, NY 10471-0900

EXAMINER

PANI, JOHN

ART UNIT	PAPER NUMBER
----------	--------------

3736

NOTIFICATION DATE	DELIVERY MODE
-------------------	---------------

06/07/2010

ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

EMAIL@KFRPC.COM
ereyes@kfrpc.com

Office Action Summary	Application No. 10/593,171	Applicant(s) SARSTEDT, WALTER	
	Examiner JOHN PANI	Art Unit 3736	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 May 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5/26/2010 has been entered.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 1 and 3 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

4. In reference to Claim 1

5. Line 5 includes the limitation "bow-shaped bridge element". However, the term "bow" has a wide variety of definitions making it unclear what particular structure is required by the term "bow-shaped". This lack of clarity regarding the scope of the claim renders the claim indefinite. For purposes of interpretation the limitation has been

Art Unit: 3736

interpreted to be met by a structure which would be shaped like some example of any interpretation of the term "bow".

6. In reference to Claim 3

7. Line 2 includes the limitation "the bridge element is C-shaped". As there are a variety of fonts, forms, etc. of the letter "C", it is unclear what particular structure is required by the term "C-shaped". This lack of clarity regarding the scope of the claim renders the claim indefinite. For purposes of interpretation the limitation has been interpreted to be met by a structure which would be shaped like some example of any version of the letter "C".

Claim Rejections - 35 USC § 102

8. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

9. Claims 1 and 3 are rejected under 35 U.S.C. 102(b) as being anticipated by US Pat. No. 2,437,408 to Soet ("Soet").

10. Soet discloses:

11. In reference to Claim 1

A blood-collecting device for newborn babies and infants (note that while Soet does not explicitly disclose use with newborn babies and infants, the Soet device would be capable as it is intended for collecting blood and is sized in a suitable manner), the

Art Unit: 3736

device comprising: a cannula (14) extending along an axis and having at one axial end a blood inlet (left end of 14 in Fig. 3) and at an opposite axial end a blood outlet (right end of 14 in Fig. 3); a bow-shaped bridge element (structure formed by at least 22, 16, and 34) having a front end (22) in which the cannula is fixed and a rear end (34) defining with the front end a free space, the cannula outlet being exposed between the front end and the rear ends in the free space and the inlet being outside the free space (see Fig. 3); and a grip part (rear portion of 16 which overhangs 34) centered on the axis and fixed on the rear end of the bridge element.

In reference to Claim 3

The device defined in claim 1 (see above) wherein the bridge element is C-shaped (see Fig. 3).

Response to Arguments

12. Applicant's arguments with respect to claims 1 and 3 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JOHN PANI whose telephone number is (571)270-1996. The examiner can normally be reached on Monday-Friday 7:30 am - 5:00 pm EST.

Art Unit: 3736

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Max Hindenburg can be reached on 571-272-4726. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JP/ 6/2/10

/Max Hindenburg/
Supervisory Patent Examiner, Art Unit 3736